

Toyota Vitz 130 (2010-)

KSP130	1KR-FE	1.0i	2WD
NSP130	1NR-FE	1.3i	2WD
NSP135	1NR-FE	1.3i	4WD
NSP130	1NR-FKE	1.3i	2WD
NCP131	1NZ-FE	1.5i	2WD

System	Capacity (l)	Type
Lubrication (w filter)		
		<p>The chart shows temperature ranges in degrees Celsius: -30, -20, -10, 0, 10, 20, 30, 40. SAE 0W-20 covers -30 to 40. SAE 5W-20 covers -20 to 40. SAE 5W-30 covers -10 to 40. SAE 10W-30 covers 0 to 40.</p>
1KR-FE	2.8-3.1	API SL..SN / ILSAC GF-4..5
1NR-FE	3.4	API SL..SN / ILSAC GF-4..5
1NR-FKE	3.8	API SN / ILSAC GF-5
1NZ-FE	3.7	API SL..SN / ILSAC GF-4..5
Cooling		
1KR-FE	4.8	
1NR-FE	4.7	
1NR-FKE	4.9	
1NZ-FE	5.0 / 4.8	AT / MT
CVT		
1KR-FE -2014	6.30	Toyota CVT Fluid TC
1KR-FE 2014-	6.23	Toyota CVT Fluid FE
1NR-FE 2WD -2014	6.50	Toyota CVT Fluid TC
1NR-FE 4WD -2014	7.98	Toyota CVT Fluid TC
1NR-FE 4WD 2014-	7.88	Toyota CVT Fluid FE
1NR-FKE	6.42	Toyota CVT Fluid FE
1NZ-FE -2014	8.09	Toyota CVT Fluid TC
1NZ-FE 2014-	7.47	Toyota CVT Fluid FE
Mechanical gearbox		
	1.9	Toyota MG Gear Oil Spec.II API GL-3 SAE 75W-90
Transfer		
	0.45	Toyota Hypoid Gear Oil SX API GL-5 SAE 85W-90
Rear differential		
	0.5	Toyota Hypoid Gear Oil SX API GL-5 SAE 85W-90
Washer tank		
	1.8 / 2.3	(std / cold area)
Fuel tank (RON)		
	42	"Regular" (91)

Wheels	Disk	PCD	ET	Pressure (F/R)
165/70R14 81S	14×5J			2.5/2.4
175/70R14 84S	14×5J			2.5/2.4
175/65R15 84H	15×5J			2.3/2.2
195/50R16 84V	16×6J			2.2/2.0
195/65R16 84V	16×6J			2.2/2.0
205/45R17 84W	17×7J			2.2/2.2
T125/70D15 95M	15×4T			4.2
T125/70D16 96M	16×4T			4.2